

## IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF

**TETSURO MOTOYAMA** 

SERIAL NO: 09/457,669

FILED: DECEMBER 9, 1999

FOR: METHOD AND SYSTEM FOR

DIAGNOSIS AND CONTROL OF MACHINES USING CONNECTION

AND CONNECTIONLESS MODES

OF COMMUNICATION

: EXAMINER: PRIETO, B.

: GROUP ART UNIT: 2152

RECEIVE

JUL 2 2 2002

Technology Center 2000

## LETTER REQUESTING ENTRY OF SUBSTITUTE DRAWINGS

ASSISTANT COMMISSIONER FOR PATENTS WASHINGTON, DC 20231

SIR:

Please review the attached substitute Figures 1-12C, for entry as a replacement for the originally filed Figures 1-12C, in the above-identified application.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,

MAIER & NEUSTADT, P.C.

Gregory J. Maier

Registration No: 25,599 Attorney of Record

Michael R. Casey, Ph.D. Registration No: 40,294

22850

(703) 413-3000

Fax #: (703) 413-2220

/sy



July 2 2 2002
Technology Center 2600

OBLON
SPIVAK
MCCLELLAND
MAIER
&
NEUSTADT
P.C.

Docket No.: 5244-0117-2X CONT

RECEIVED

JUL 2 3 2002

Technology Center 2100

ATTORNEYS AT LAW

GREGORY J. MAIER (703) 413-3000 GMAIER@OBLON.COM

MICHAEL R. CASEY (703) 413-3000 MCASEY@OBLON.COM

ASSISTANT COMMISSIONER FOR PATENTS WASHINGTON, D.C. 20231

RE: Application Serial No.: 09/457,669

Applicants: Tetsuro MOTOYAMA Filing Date: December 9, 1999

For: METHOD AND SYSTEM FOR DIAGNOSIS AND CONTROL OF...

Group Art Unit: 2152 Examiner: PRIETO, B.

SIR:

Attached hereto for filing are the following papers:

## REQUEST FOR RECONSIDERATION LETTER REQUESTING ENTRY OF SUBSTITUTE DRAWINGS (11 DRAWING SHEETS)

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

Gregory J. Maier

Registration No. 25,599


Attorney of Record


Michael R. Casey, Ph.D.

Registration No. 40,294

22850

(703) 413-3000 (phone) (703) 413-2220 (fax)





APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRATTSMAN	<u> </u>	





FIG. 2

AFPROVED	O.G. FIG.		
BY	CLASS	SUBCLASS	
DE- TSMAN			



AFPROVED	O.G. FIG.		
BY	CLASS	SUBCLASS	
DRATTSMAN	,		





FIG. 4



APPROVED	O.G. FIG.	
BY .	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 6

APPROVED	O.G. FIG.		
BY	CLASS	SUBCLASS	
DRAFTSMAN	,		






FIG. 7

-AFPHUV&D	O.G. FI	G.
ВУ	CLASS	SUBCLASS
DRAFTSMAN	٠	










FIG. 9

	APPROVED	O.G. FIG.		
	BY	CLASS SUBCLAS		
İ	DRAFTSMAN			



APPROVED	O.G. FIG.		
ву	CLASS SUBCLAS		
DRAFTSMAN			



•	APPROVED	O.G. F	IG.
	BY	CLASS	SUBCLASS
	DRAFTSMAN		

440	442	444	446	448	450
	ID	MODEL	SERIAL #	COMMAND LEVEL	ADDRESS
·					
	į			!	

FIG. 12A

460~	462 <i>J</i>	464 /	466	
100	ÍD	ATTACHMENT ID	ATTACHMENT SERIAL #	••••
	•			

FIG. 12B

	472 J	474	476 )	
470	ID	DATA/TIME	INFORMATION	